


Short Report



Geysir Andernach

Konrad-Adenauer-Allee 40
56626 Andernach

Tel: +49 2632 9580080

info@geysir-andernach.de
<http://www.geysir-andernach.de>

Welcome!

Spectacular natural spectacle in Andernach on the Rhine: Experience the highest cold-water geyser in the world.

You will start your expedition at the Geysir Experience Center and learn everything about the natural phenomenon of the cold water geyser in Andernach. Interactive exhibits, experiment stations and media installations let you experience the natural phenomenon with all your senses. In the second part of the trip, enjoy a relaxing boat trip on the Rhine to the Rhine peninsula and nature reserve "NAMEDYER WERTH" to experience the eruption of the world's highest cold water geyser with up to 60 meters as the highlight of the expedition.

TEST RESULT

for

Geysir Andernach

56626 Andernach, Certificate-ID: PA-00365-2020



This offer was classified according to
the criteria of the nationwide label

»Tourism for All«

and, in the period from

February 2021 – January 2024

is entitled to use the label

»Accessibility checked«

and the associated pictograms

in accordance with the contract.

Information for people with walking difficulties and wheelchair users

All areas relevant for testing meet the quality criteria of the label "**Accessibility certified – accessible for people with walking disabilities and wheelchair users**".

Some **information on accessibility** are listed below. In the separate document "Detailed information" detailed descriptions are available.

Geyser center

- There is a public parking space for people with disabilities (parking space size 350 cm x 550 cm; distance to the Geysir Center approx. 50 m).
- The path from the car park to the Geysir Center entrance is easy to walk and drive on. The maximum longitudinal inclination is 3 % over a length of 10 m.
- The width of the entrance door is 120 cm, access to the building is threshold-free and stepless.
- All evaluated rooms and facilities available to the guests are steplessly accessible at ground level or via an elevator.
- The elevator cabin measures 135 cm x 140 cm.
- All evaluated passageways/doors available to the guests are at least 90 cm wide.
- The sales counter with checkout area is 110 cm high.
- The exhibits and the corresponding information can be seen predominantly from a seated position.
- Aids offered: wheelchair
- Guided tours for people with walking impairments and wheelchair users are offered on request. A reservation in advance is necessary.

Toilet for people with disabilities in the geysir center

- The manoeuvring spaces next to the toilet on the left and right are each 90 cm x 70 cm; in front of the toilet and washbasin 150 cm x 150 cm.
- There is a grab rail on the left/right side of the toilet. The grab rail can be flipped-up.
- The sink is wheelchair compatible and the mirror can be seen while sitting or standing.
- There is a cord as an alarm trigger.

Ship

- The path Visitor center to the pier is to walk and drive on and has a maximum longitudinal gradient of 6 % over a distance of 25 m . Access to the ship is via a ramp at the pier. The gradient depends on the water level.
- The pier on the Næmedyr Werth peninsula is 200 cm wide and 150 m long. Access to the ship is via a ramp at the pier. The gradient depends on the water level.
- Deck 1 is accessible without steps. Deck 2 is accessible via stairs only.

- There are no wheelchair accessible tables available in the deck 1 and 2 (maximum height 80 cm, wheelchair accessible at a height of 67 cm and a depth of 30 cm).

Toilet for people with disabilities on the ship

- The manoeuvring spaces next to the toilet on the left is 64 cm x 53 cm and right 40 cm x 53 cm; in front of the toilet and washbasin 103 cm x 116 cm.
- There is a grab rail on the left/right side of the toilet. The grab rail cannot be flipped-up.
- The sink has limited access.
- The mirror is not visible while sitting
- There is not an alarm trigger.

Peninsula Namedyr Werth / Geysir

- The path from the landing stage to the geyser is 220 m long. It is easy to walk and drive on and has a maximum longitudinal gradient of 3% over a distance of 50 meters.
- Seating is available at the geyser.

Information for people with hearing impairments and deaf people

Some **information on accessibility** are listed below. For more descriptions please see „Detailed information“.

- There is no audio induction loop.
- In the elevator, an emergency call is confirmed audibly. Alternatively, stairs are available.
- In the exhibition, information on the exhibits is conveyed in written form and acoustically.
- There are no guided tours available for people with hearing impairment and deaf people.

Information for visually impaired and blind people

Some **information on accessibility** are listed below. In the separate document "Detailed information" detailed descriptions are available.

- Assistance dogs are allowed.
- Outdoor paths mainly are rich in contrast or have tactilely detectable sidewalk boundaries.
- The main entrance is visually contrasting.

- The house signage is designed in clearly legible, visually contrasting font.
- There are glass doors in the entrance area, these are not marked with safety markings.
- Rooms and corridors are brightly lit.
- In the exhibition, the exhibits do not contrast visually with their surroundings, information is conveyed in written form and acoustically. Films are used to convey information.
- There are usually no obstacles, e.g. objects protruding into the path/room.
- Information is not available in Braille or prismatic writing.
- In the elevator, an emergency call is confirmed acoustically.
- Staircases are not visually rich in contrast or tactilely detectable. Handrails are present.
- There are no guided tours available for people with visual impairments and blind people.

Information for guests with cognitive impairments

Some **information on accessibility** are listed below. In the separate document "Detailed information" detailed descriptions are available.

- Name and logo of the company are clearly recognizable from the outside.
- The destination of the path is usually within sight
- The cash register is directly visible from the entrance.
- There are no uninterrupted guidance systems or signs at a constantly visible distance.
- Information is conveyed in written form and acoustically at the exhibition.
- There are no guided tours available for people with cognitive impairments.

Information on the "Tourism for All" labeling system

All establishments and locations certified with the label "Tourism for All" meet the following quality criteria:


- Data and information on accessibility are collected and checked on site by **external, specially trained evaluators**. The method is not based on self-assessments.
- Data on accessibility is available **in detail** and can be viewed by the guests.
- At least one staff member has successfully passed a **training** on "**Accessibility as a comfort and quality feature**".

The labeling – explanation of the logos and pictograms

The label "**Information about Accessibility**" indicates that detailed and verified information on accessibility is available for all groups of people.



The label "**Accessibility certified**" is based on "Information about Accessibility". It means that the quality criteria defined for specific groups of people are met partially or completely.



The label "**Accessibility certified**" is available in two requirement levels:

"Accessibility certified: partially accessible".

The quality criteria are partially fulfilled for the pictured group of people, i.e. the establishment/location is partially accessible for wheelchair users. The "i" in the pictogram indicates that it is recommended to read again carefully whether the offer meets all (your or the guest's) individual requirements.



"Accessibility certified: accessible".

The quality criteria are fulfilled for the pictured group of people, i.e. the establishment/location is accessible for wheelchair users.



There are defined quality criteria for **seven groups of people** and a **specific pictogram** for each group.

People with walking disabilities



Wheelchair users



People with hearing impairment



Deaf people



People with visual impairments



Blind people



People with cognitive impairments

